







AREAS	
GROUND FLOOR	
Garage's	42.80 m²
Covered Porches	3.50 m²
Staff Room	15.70 m²
Dwelling	121.00 m²
TOTAL GROUND FLOOR:	183.00 m²
FIRST FLOOR	
Dwelling	133.70 m²
TOTAL FIRST FLOOR:	133.70 m²
TOTAL (excl. DV):	316.70 m²
DOUBLE VOLUME:	3.70 m²
TOTAL (incl. DV):	320.40 m²
SITE AREA:	500.60 m²
COVERAGE:	36.55 %
FIRST FLOOR / GROUND FLOOR RATIO (incl. double volumes):	0.75 / 75.0 %



- ### NOTES
- GENERAL:
- All work to be carried out strictly according to the National Building Regulations (NBR/SANS 10400), any SANS standards & any applicable local by-laws.
 - All materials used must be of the highest quality & SABS approved (where required). All work must be done to the highest quality & by people qualified/confirmed to do the relevant work.
 - All material and work to be approved by the developer/architect.
 - All specialist work to be carried out by an approved specialist.
 - No work to be done without municipal approved drawings or L.O. a T/6 approval.
 - All work to be done in accordance with approved municipal drawings & contractor to always keep a copy of the approved drawings on site.
 - All drawings to be read in conjunction with other consultants drawings & specification (ex. Engineer's drawings).
 - All dimensions are in millimeters, unless otherwise shown. Do not scale the drawing & work strictly to written heights & dimensions.
 - Any discrepancies must immediately be brought to the attention of the Architect.
 - The contractor is responsible for setting out all new building work and shall appoint a land surveyor to do so.
 - Any specification or schedule of finishes shall take preference over any drawings, except where the specification is in contradiction with the NBR, any local by-laws, any detail/specification from any specialist/engineer.
 - Work to be carried in writing: all structural work, termite poison, pre-lab trusses; all glazing; all electrical work; any gas installation; other as determined during construction.
- GROUND & EXTERNAL BUILDING WORKS:
- All ground works (cut and fill, finalization and compaction of platforms) strictly to engineers specifications and drawings.
 - SABS approved interlocking pavers as shown on site plan and to eng. detail, strictly laid according to manufacturers spec. Colour to developer/architect's spec. No plastic underlay to be provided underneath pavers.
 - All boundary walls to site plan and strictly to architects details. All boundary walls to comply with SANS 10400-K, 32mm dia weepholes to be provided as shown or as determined on site. No plastic waterproofing membrane to be provided at any level of boundary wall.
 - Foundation to boundary walls at the site's external boundary not to encroach over any site boundary.
 - Retaining wall as shown on site strictly to specialist/engineers detail. Ramps (if any) as shown on plans and not to exceed 1:12 gradient.
 - External stairs (if any) to be built according to plans/detail and/or as determined on site during construction. Riser @ max.170mm. Treads @ min 220mm.
 - Site and external building lighting to specialist/engineers detail.
 - One external tap to be provided over gutter in kitchen yard.
 - All landscaping to be done by specialist/landscape architect.
 - Storm water to be channelled on surface as shown on engineer's drawings and site plan.
- FOUNDATIONS:
- All excavations for foundations strictly to engineer's detail.
 - Concrete RAFT foundations as per engineers detail. Strip foundation to be provided underneath all 220mm external and internal brick walls, unless override by engineer.
 - Concrete slab thickening strictly to engineers detail and to be provided underneath all 110mm brick walls, unless override by engineer.
 - Re-inforced concrete raft foundation with 85mm steps (if any) strictly to engineer's detail.
- PRIMARY STRUCTURE:
- ROOF FINISH AS PER SECTION/ELEVATION (incl. all accessories) with pre-painted finish (colour to specification) on approved FR heat reflective membrane (HRM) on 52x76mmSAP Battens @ max. 1.2m c/c.
 - Exposed trusses to be properly sanded pre-lab timber trusses with specially designed connection plates, from grade 6 SAP timbers @ max 1.4m c/c, all as per engineer's detail. Levels and gradient as per various drawings. 6.4mm gypsum ceiling board & cornice fixed to the underside of exposed trusses with 115mm cellulose fibre insulation on top of ceiling board but below HRM.
 - Concealed trusses to be computer designed pre-lab timber trusses from grade 6 SAP timbers @ max 1.4m c/c, all as per engineer's detail. Levels and gradient as per various drawings. 6.4mm gypsum ceiling with timber quarter-rounds as cornice fixed to underside of trusses with 38x38mm timber battens. 115mm cellulose fibre insulation on top of ceiling board but below HRM.
 - All trusses to be anchored with steel wires, strictly according to NBR & detail.
 - For concrete roofs (if any), approved SABS waterproofing on min. 25mm sloped screed on min 170mm concrete roof with upstands to allow for waterproofing, all to roof plan, sections and engineer's detail. Spout/flashings/weepholes all to detail and roof plan.
 - Min. 100mm dia downpipes to detail and roof plan, if required.
 - All brick walls as shown and dimensioned on drawings. All walls to be built with approved day bricks with brickcote at levels specified by engineer.
 - Pre-lab concrete lintels only over openings in walls that are plastered on both sides, unless otherwise indicated.
 - Facebrick walls (or where indicated) to have re-inforced brick on edge (see) lintels to eng. detail.
 - DPC membranes to be provided at all window sills, under all walls at UFL and wherever else shown. All 340mm retaining walls indicating vertical DPC to eng. detail.
 - Re-inforced concrete slabs (if applicable) sizes and specifications strictly according to eng. detail.
 - 65mm concrete surface bed, re-inforced to eng. detail. UFLs as shown but @min 340mm above NGL, on approved termite poison on approved compacted filling.
- SECONDARY STRUCTURE:
- Power coated aluminum doors and windows as shown on drawings and schedules. Colour to developer/architect.
 - Hardwood timber door frames with solid external timber and hollow internal door, all to schedule. Doors and frames to be painted/finished strictly according to manufacturers spec.
 - All glass types, thicknesses and fittings strictly to window & door schedule.
 - Remote controlled timber garage door, to door schedule (natural colour). To be tiled strictly according to manufacturers specs.
 - Roof / PERGOLA timber & steel structures: Exposed pre-lab timber beams & columns with specially designed connection plates, from grade 6 SAP timbers @ c/c as indicated. Fixed to steel square tube. Levels and gradient as per various drawings. All exposed timber to be properly sanded and oiled. FINAL DESIGN & INSTALLATION BY SPECIALIST (to be approved by architect).
- FITTINGS:
- Hot water supply provided by GAS GEYSOR SYSTEM, by specialist.
 - Built in cupboards to specialist detail and specifications, to be approved by developer/architect.
 - 4-joint GAS stove and electrical oven / as specified by client / developer, all to specialist.
 - Sanitaryware as shown to be developer/architect's specifications/schedules. Standards built in brass. Braai and chimney strictly by specialist and in accordance with the NBR.



OWNER'S SIGNATURE:

SEWER CODE

32mm/38mm/50mm (as per NBR) dia
PVC wp's from various fittings
100/150mm dia HDPE sp, min fall 1:60, inside min 400mm deep
100/150mm dia PVC sp under building, foundations over to be reinforced
Standard 50/100mm dia VV's / VP's as shown on various drawings

CLIENT

NEW DWELLING FOR OCEANIC DEVELOPMENTS ON ERF 12131 CLAYVILLE EXTENSION 118 TOWNSHIP, REGISTRATION DIVISION J.R., PROVINCE OF GAUTENG

DRAWING TITLE

FLOOR PLANS, SECTIONS & DETAILS

DESIGNED	DRAWN	SCALE
AWA	AW	1:100, 1:50
STAGE	PAPER SIZE	
CONSTRUCTION	A1	
DRAWING NUMBER	DATE	
24RoetsFB12131 - WD - 101	2025/10/10	

***THE COPYRIGHT OF THE DESIGN(S) ON THIS DRAWING REMAINS THE PROPERTY OF ADRIAAN WOODING**

Adriaan Wooding Atelier
architecture and design workshop

336, hans stridom avenue,
lyttelton manor, centurion,
083 411 9912
adriaan@awatelier.co.za

PrArch 21354

PROFESSIONAL ARCHITECT
ADRIAAN WILLEM WOODING

07-21 AM (Africa) 2025/10/10 09:02:20